

University of Groningen

Total synthesis of enantiopure lipids

Geerdink, Danny

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2013

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Geerdink, D. (2013). *Total synthesis of enantiopure lipids: on mycobacterial glycolipids and a putative sex pheromone of Trichogramma turkestanica*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Total Synthesis of Enantiopure Lipids

On mycobacterial glycolipids and a putative sex pheromone
of *Trichogramma turkestanica*

Danny Geerdink

The work described in this thesis was executed at the Stratingh Institute for Chemistry, University of Groningen, The Netherlands.

The authors of this thesis wish to thank the Netherlands Organization for Scientific Research for funding.



**rijksuniversiteit
 groningen**



Netherlands Organisation for Scientific Research

Cover design by Jeffrey Bos and Danny Geerdink. Picture taken by Jeffrey Bos in Vries, The Netherlands.

Printed by Ipskamp Drukkers BV, Enschede, The Netherlands

RIJKSUNIVERSITEIT GRONINGEN

Total Synthesis of Enantiopure Lipids

On mycobacterial glycolipids and a putative sex pheromone
of *Trichogramma turkestanica*

Proefschrift

ter verkrijging van het doctoraat in de
Wiskunde en Natuurwetenschappen
aan de Rijksuniversiteit Groningen
op gezag van de
Rector Magnificus, dr. E. Sterken,
in het openbaar te verdedigen op
vrijdag 21 juni 2013
om 11:00 uur

door

Danny Geerdink

geboren op 15 mei 1984
te Winterswijk

Promotor: Prof. dr. ir. A.J. Minnaard

Copromotor: Dr. A.K.H. Hirsch

Beoordelingscommissie: Prof. dr. B.L. Feringa

Prof. dr. J.G. Roelfes

Prof. dr. G.A. van der Marel

ISBN: 978-90-367-6160-4 (printed version)

ISBN: 978-90-367-6161-1 (electronic version)

Aan mijn ouders

Table of contents

Chapter 1	Introduction	1
1.1	Mycobacteria	2
1.2	<i>Mycobacterium tuberculosis</i>	4
1.3	Methyl-branched glycolipids from <i>M. tuberculosis</i>	6
1.4	Biosynthesis of polyketides	8
1.5	Synthesis of extractable cell wall glycolipids from <i>M. tuberculosis</i>	9
1.6	Outline of this thesis	13
1.7	References	14
Chapter 2	Synthesis of hydroxyphthioceranic acid	19
2.1	Introduction	20
2.2	Novel stereoselective synthetic strategies towards 1,3-methyl arrays	21
2.2.1	Metallacycle-mediated alkyne-allylic alcohol cross coupling and hydrogenation	21
2.2.2	A non-iterative approach towards trideoxypropionates	22
2.2.3	Combining asymmetric copper-catalyzed 1,6- and 1,4- conjugate additions	23
2.3	Previous synthesis of hydroxyphthioceranic acid	24
2.4	Strategy for the combined synthesis of HPA and PA	27
2.5	Synthesis	28
2.6	Conclusions	34
2.7	Experimental section	35
2.8	References	49
Chapter 3	Total synthesis of Ac₂SGL	51
3.1	Introduction	52
3.2	Lipid recognition by the CD1b complex	52
3.3	Reported synthetic strategies for Ac ₂ SGL	55
3.4	Potency of Ac ₂ SGL analogues	56
3.5	Strategy	57
3.6	Synthesis	58

3.7	Biological activity	61
3.8	Modeling studies	62
3.9	Conclusions and future perspective	63
3.10	Experimental section	64
3.11	References and notes	73
Chapter 4	Total synthesis of sulfolipid-1	77
4.1	Introduction	78
4.2	Biosynthesis of sulfolipid-1	79
4.3	Reported synthesis of sulfolipid-1	81
4.4	Strategy	84
4.5	Synthesis	85
4.6	Conclusion	89
4.7	Experimental section	90
4.8	References	101
Chapter 5	Total synthesis of DAT₂	105
5.1	Introduction	106
5.2	Reported syntheses of mycolipanoic acid	107
5.3	Reported syntheses of DAT ₂ analogues	109
5.4	Strategy	111
5.5	Carbohydrate protecting-group strategy	112
5.6	Synthesis of mycolipanoic acid	113
5.7	Completion of the synthesis of DAT ₂	115
5.8	Conclusions and outlook	117
5.9	Experimental section	118
5.10	References	126
Chapter 6	Synthesis of a putative sex pheromone of <i>Trichogramma turkestanica</i>	127
6.1	Introduction	128
6.2	Reported syntheses of the <i>Trichogramma turkestanica</i> sex pheromones	129

6.3	Strategy	129
6.4	Synthesis	130
6.4.1	Construction of the all- <i>syn</i> 1,3-methyl array	130
6.4.2	A first attempt: the use of a vinylogous HWE reaction	132
6.4.3	A second attempt: the stepwise approach using Wittig reactions	133
6.4.4	A third attempt: the stepwise approach using HWE reactions	135
6.5	Conclusions	136
6.6	Outlook	136
6.7	Experimental section	138
6.8	References	144
Chapter 7	Toward the synthesis of a sulfo-glycopeptidolipid from <i>Mycobacterium avium</i>	147
7.1	Introduction	148
7.2	Reported syntheses of glycopeptidolipids	150
7.3	Strategy	155
7.4	Synthesis	156
7.4.1	Building block A	156
7.4.2	Building block B	158
7.4.3	Building block C	160
7.4.4	Connecting the building blocks: final steps towards S-GPL	162
7.5	Conclusions	163
7.6	Experimental section	164
7.7	References	172
Summary		174
Samenvatting		180
Dankwoord		186